

Designation:	Floodlight / SLEE-40IM5 50Hz / 250W	Symbol:	
Supplier:	Deckma GmbH	Supplier ArtNo.:	012-049
Manufacturer:	Cortem Group	Manufacturer ArtNo.:	SLEE-40IM5
		Rev:	0

Electrical data			
Voltage [V]:	230	Current [A]:	
Ambient Temp [°C]:	-20 / +55	Battery backup:	
		Frequency [Hz]:	50
		Total consumption [W]:	250

Luminaire description			
Type:	SLEE-40IM5 50Hz	Light source:	Metal halide
Technology CC:		Consumption [W]:	250
CV:		Illuminant incl.:	Y
Trafo incl.:		Dimmable:	
Beam angle [°]:		No of illuminants:	1
CRI Index:		Colour temp [K]:	
		Lum flux [lm]:	

Mechanical description			
Housing:	low copper / alu alloy	Color:	light grey (RAL7035)
Reflector:	anodised aluminium	Prot. class:	IP66/67
Diffuser:	shock resistant tempered glass	Fire class:	
Surface height [mm]:		Weight [kg]:	26.00
Rec. mnt. height [mm]:		Dimens. [mm] L:	480.00
LED spacing [mm]:		W:	296.00
		H:	482.00
		Ø:	
		Cut out [mm]:	
		LED stripe cutting space [mm]:	
		Delivery length [m]:	
		Lum. flux per metre [lm/m]:	
		Bend. radius [mm]:	
Mounting:	surface mounted / for the connection of the lamp are 2x M25x1,5 to available		
Equipment:	supplied with 1x dummy plug PLG2IG (steel galvanized)		

Power supply / Dimmer			
Designation:			
Prot. class:		Dimension [mm] L:	
		W:	
		H:	
		Ø:	
		Weight [kg]:	
Designation:			
Prot. class:		Dimension [mm] L:	
		W:	
		H:	
		Ø:	
		Weight [kg]:	
Remarks:			

Remarks:	<ul style="list-style-type: none"> <li>- FLOODLIGHT EX II 2GD EX DE IIB + H2 / rectangular headlight / spotlight with swivel bracket</li> <li>- Ex II 2GD Ex IIB + H2 T3 Ex tD A21 IP66, 230Vac 50Hz; for 250W halogen (E40)</li> <li>- ballast is integrated in the spotlight housing, capacitor and ignitor are in separate ex-d connection box mounted</li> <li>- terminals are in a separate Ex-e room safely accommodated</li> </ul>
----------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

